

features

- XXL screen (100 x 83 mm) for optimal visibility
- Touch sensitive button (sensitivity/delay/ shade/saved settings).
- Save up to 3 settings.
- 4 sensors for improved performance.
- TIG welding > 2 A.
- 7 different shades (5>13) for all welding and cutting operations.
- TRUE COLOR technology

- Headband
- **♦** GYSMATIC 5.13 XXL
 - + welding hood
- The respiratory protection system (motor + filter + waist belt)
- Lithium-ion battery + charger

MES-200

shoulder harness / air flowmeter / carrying bag

> TOP-ENTRY AIRFLOW (170-230 L/min) floods the visor from above, sweeping away moisture to keep your view clear and condensation-free.

O INDEPTH INFORMATION



MES-200 On-Gun Extraction Unit

WM-VACMES200 & M-MB244HUFUME

Designed for efficient welding fume extraction the Flame Fume Extraction Unit MES-200 ensures the health of all workers.

MES-200 improves the welding environment by absorbing welding smoke and dust. Weighing approximately 29.3kg, this unit includes an automatic start/stop function, manual clean option and dust collection drawer.

FEATURES

- Compatible with any Euro Connect Mig Welder
- Quiet

Lightweight and portable Easy to use
2 year warranty RRP \$2335.00 PRICE AVAILABLE UNTIL 31 AUGUST 2025

Airforce FC-1000 **Complete PAPR** System

WA-AFFS-1000

- Air Flow Low Speed: Great than 6 CFM (170 LPM) minimum
- ▶ High Speed: 7.06 CFM (200 LPM)
- Battery Charging Time
- About 3 Hours Battery Life 500 Charges- Run Time Dependent On Air Flow Rate
- Run Time: Low Speed/High Speed

Approximately 4-6/6-8 hours



PRICE AVAILABLE UNTIL 31 AUGUST 2025






ARRIVING SOON



HUGONG Cariarc 200B

DUAL POWER SUPPLY MODE



HIGH-**PERFORMANCE**

▶ Equipped with a robust 700Wh ternary lithium battery, providing continuous welding for up to 14 electrodes (2.5mm) or 12 electrodes (3.2mm). Exceptional performance even in lower-temperature environments. Includes a built-in rapid-charging feature, achieving a full charge in under 2 hours.

TECHNOLOGY

- input voltages

AUTOMATIC IDLE FUNCTION

Machine automatically switches to Idle mode after 5 minutes of inactivity, significantly reducing power consumption.

ROBUST INDUSTRIAL

Engineered with durability in mind, each unit undergoes rigorous testing, including Low Voltage Directive vibration resistance, ingress protection (IP rating), and drop testing, ensuring









(LVD), Electromagnetic Compatibility (EMC), reliability in challenging environments.



Optimizes energy efficiency by achieving a high power factor of 0.93-0.99.

PRICE AVAILABLE UNTIL 31 AUGUST 2025



MTA 201 AC/DC

WM-TIT400ACDCP

MIG TIG ARC

The MTA 201 AC/DC is a portable IGBT digital inverter multi-process welder 4 in 1 machine. Digital waveform technology allows multiple welding proceses with optimized performance.

Utilizing a 32-bit Cortex M4 chip that can perform 500,000 operations per second for precise welding control. Low splash function, precidse heat input and weld formation.

Expert mode: Deep parameter settings with 99 welding process channels.

Full function TIG welding, including pulse setting, gas pre-flow, post flow, slope up, slow-down, 2T/4T etc. AC ARCARE technicolgoy suiltable for thing metal welding and spot welding.

Optimized welding performance for carbon steel, stainless, Cusi, Aluminum.

Key Features

- IGBT Digital Inverter
- ▶ 4 in 1 Machine
- ► AC TIG/DC TIG/MIG/MMA
- ▶ PFC Technology
- ▶ Synergic Mig Welding
- ▶ 7 inch LCD screen
- Arc force, hot start. anti-sticking function
- ▶ Full Tig function welding 2T/4T











WIRE SIZE MATTERS

0.8mm wire is a solid all-rounder, but consider 1.0mm for thicker material or higher amps. Finer wire = more control, heavier wire = deeper penetration.

GAS GAME

For clean, spatter-free welds on mild steel, 91/9 Argon-CO2 mix is the go-to. Straight CO2 is cheaper, but you'll sacrifice bead quality.

KEEP YOUR STICKOUT SWEET

Aim for 10-15mm stickout from the contact tip — too long and you'll lose stability, too short and you'll crowd the pool.

CHECK YOUR CONTACT TIP

If you're getting erratic arc starts or bird-nesting, it could be time to swap your contact tip. A worn one kills consistency.

PUSH OR PULL?

Push technique gives a flatter, cleaner bead with better gas coverage — ideal for most MIG jobs. Pulling can give deeper penetration but more spatter.

KEEP IT CLEAN

Paint, rust, or oil on your workpiece will mess with arc stability. A quick wire brush can save a lot of rework.

MB15 Contact Tip

M-1//n-n



\$1.64_{(SSTE}



BULK PRICING APPLIES

30 + \$0.85/ EA (GST Inc.)

80 + \$0.75/ EA (GST Inc.)

M6 Contact tip

M-14



\$2.10_{(S}



30 + \$1.25/ EA (GST Inc.)


80 + \$1.00/ EA (GST Inc.)

M8 Contact tip

M-14



\$2.70_{(SST}



30 + \$1.95/ EA (GST Inc.)

80 + \$1.25/ EA (GST Inc.)

Tough Lock Contact Tip



\$3.49 (SST EXC



BULK PRICING APPLIES

30 +\$2.59/ EA (GST Inc.)

80 +\$1.97/ EA (GST Inc.)

Tregaskiss Contact Tip



\$2.95_(SST Exc.)



BULK PRICING APPLIES

30 +\$2.10/ EA (GST Inc.)

80 +\$1.89/ EA (GST Inc.)

Mig Tips

Lightning Contact Tip



\$3.49 (GST Excl



BULK PRICING APPLIES

40 +\$2.95/ EA (GST Inc.)

100 +\$2.45/ EA (GST Inc.)

Bernard Contact Tip



\$2.95_{(SSTE}



BULK PRICING APPLIES

30 +\$2.20/ EA (GST Inc.)

80 +\$1.95/ EA (GST Inc.)

Tweco 2/3/4 Contact Tip H.D



\$2,70 (CST EXC



Bernard Centerfire

\$3.50_(GST EXC.)



30 + \$2.95/ EA (GST Inc.)

80 + \$2.45/ EA (GST Inc.)

CONSUMABLES



Hyundai Supercored 71T1 FCW

MSW-SC71T-1



DuroArc ER70-6

MSW-DURS

Low carbon all-positional mig welding wire. mild and medium strength steels.



DuroArc 5356

AW-DUR5356

Good ductility and corrosion resistance for the welding of a wide range of aluminium alloys.



DuroArc 309 FCW

SSW-DUR309FCW12



DuroArc 312 FCW

SSW-DUR312FCW12



DuroArc 316 FCW

SSW-DUR316FCW12



DuroArc 7018 2kg pack

MSE-DUR701824

Enhance the deposition rate and improve the appearance of the weld bead when working with mild and low alloyed steels, particularly in situations with high restraint.

Sizes 2.4mm, 3.2mm, 4.0mm



DuroArc 6013 2kg pack

BULK PRICING

5+ \$26.50/ pack (GST Excl.)

PRICE AVAILABLE UNTIL 31 AUGUST 2025

MSE-DUR6013VD24

General-purpose electrode for structural steel work, workshop and maintenance welding. 2.4mm, 3.2mm

DuroArc 55Ni 2kg pack

SPE-DUR55NIFE2520

Weld and join various types of cast iron and welding cast iron to steel. Good for heavy sections.

2.4mm, 3.2mm 2kg Vac Pack



DuroArc 99Ni 2kg pack

SPE-DUR99NI2520

Excellent for 'cold welding' in all positions. Weld deposits are highly machinable. 2.4mm, 3.2mm, 2kg Vac Pack



HUGONG WELDER SPECIALS

HG HUGONG ETIG 160 III

HG HUGONG Extremig 160 III

WM-F160

KEY FEATURES

- Compact 160 A inverter MIG/Stick set for light fabrication.
- ▶ IGBT inverter MIG/ Stick welder with stepless controls
- ▶ 30-160 A output: 60 % duty cycle @ 160 A
- 230 V single-phase input; 11.3 kg portable unit
- ▶ Gas or gasless operation; thermal overload & fan-cooled



KEY FEATURES ▶ TIG/Stick output 10–160 A; duty cycle 60 % @ 160 A ▶ HF start TIG, step-less amperage control ▶ 230 V single-phase IGBT inverter, generator safe Weight 6.8 kg: hotstart & fan cooling

WM-ET160



Waas \$745.00 (GST Excl.) **ALE PRICE**

\$146




HIG HUGONG INVERMIG 500III with Water cooler & 10 m cable

WM-IM500III

KEY FEATURES

- IGBT inverter power source
- Stepless Amp / Volt adjustment; 2 / 4-step trigger modes
- GMAW 50-500 A, MMAW 40-490 A output range
- ▶ 60 % duty cycle @ 500 A; 400 V three-phase input
- Water-cooled MB501 gun and 4-roller wire feeder









RRP \$495.00

PRICE AVAILABLE UNTIL 31 AUGUST 2025



\$100

HG HUGONG

MIG/STICK 250

WM-MS250

KEY FEATURES

- ► GMAW 50-250 A / MMAW 20-200 A; 60 % duty cycle @ 250 A.
- ▶ 400 V three-phase IGBT inverter with stepless amp/volt control.
- Gas or gas-less MIG, inductance & burn-back adjustment, 2/4-step trigger.
- Accepts 0.6-1.2 mm wire via 4-roller drive system.
- Thermal-overload-protected, fan-cooled trolley chassis.



HIG HUGONG INVERDELTA

400III

WM-ID400III

KEY FEATURES

- 15-400 A output; 60 % duty cycle.
- IGBT inverter with hot-start and arc-force controls.
- Welds carbon, low-alloy & stainless: supports E6010/ E6013/E7018 rods 1.6-5 mm.
- ▶ Digital V/A meters; thermal & voltage protection:
- ▶ 400 V three-phase input; 19 kg portable chassis.





ETIG 200DP III HG HUGONG

WM-ET200DP

- **KEY FEATURES** DC TIG/Stick 20-180 A
- with pulse & HF start. IGBT inverter, stepless amperage, 2T/4T, adjustable gas pre/post flow.
- 230 V single-phase input; 60 % duty cycle @ 200 A Digital display, thermal
- & voltage protection; fan-cooled 7.8 kg unit. Supplied with SR-26
- TIG torch, 4 m earth lead and gas hose.



Was \$2,190.00 (GST Excl.) SALE PRICE

g • 1.00 PRICE AVAILABLE UNTIL 31 AUGUST 2025



Was \$1,795.00 (GST Excl.) SALE PRICE

PRICE AVAILABLE UNTIL 31 AUGUST 2025





Was \$1,449.00 (GST Excl.)

.00

PRICE AVAILABLE UNTIL 31 AUGUST 2025



\$450

HG HUGONG TekMaster

Mig 200 WM-TM200

KEY FEATURES

Fully synergic, industry ready, 200amp multi-function welder. It is compact and portable, making it the ideal onsite machine. Including Mig, Stick and Lift Arc Tig functions, this smooth DC inverter welder performs well on mild steel. stainless steel and aluminium. It features reversible polarity, for gasless mig welding and also caters for spool gun welding.





KEY FEATURES

- ▶ 30-200 A output; duty cvcle 60 % @ 200 A
- ▶ 230 V single-phase IGBT inverter, digital display ▶ Hot-start, anti-stick &
- arc-force controls Lift-arc TIG capability; generator safe
- Portable 6.7 kg chassis





HIG HUGONG EXTREMIC 200W III

WM-EM200W

KEY FEATURES MIG/Stick/TIG—gas

- or gasless. Euroconnect torch
- Output: GMAW 30-200 A; MMAW 30-170 A; GTAW 20-200 A
- Duty cycle 60 % @ 200 A
- 230 V IGBT inverter with 2/4-step spot timer
- Wire feed 0.6-1.2 mm; weight 10.5 kg



RRP \$1,850.00 **SALE PRICE**

.00 PRICE AVAILABLE UNTIL 31 AUGUST 2025



\$300

\$745.00 (GST Excl.) SALE PRICE

SAVE

\$150

Was \$1,259.00 (GST Excl.)

.00 •



SAVE

\$300

SALE PRICE PRICE AVAILABLE UNTIL 31 AUGUST 2025 PRICE AVAILABLE UNTIL 31 AUGUST 2025



TITANIUM

Precision and Power, Perfectly Controlled



Engineered for professional TIG and MMA welding, the TITANIUM range delivers industrial-grade performance with digital precision.

These high-duty AC/DC power sources offer unmatched arc control, multiple waveform configurations, and seamless energy regulation through E-TIG technology. Whether you're welding steel, aluminium, or exotic alloys, TITANIUM ensures deeper penetration, reduced distortion, and flawless consistency-even in demanding environments. Built for productivity, these machines feature free firmware updates, full traceability, and intuitive, customizable interfaces that evolve with your workflow.

WIZARD ModesExpert Results Made Effortless

- Ultra-fast, precise tacking in under a second-usable with or without filler metal
- Fully synergic settings simplify setup based on material and joint type
- Optimised arc behaviour produces clean, consistent welds with minimal oxidation or distortion
- Accessible to beginners, yet compatible with automated production
- WIZARD LAB mode allows experienced users to customise and develop their own weld cycles and waveforms

Dedicated modes for different materials:

WIZARD Alu Aéro Ultra-quiet, precision aluminium TIG welding

WIZARD Steel

WIZARD Stainless Steel High-purity stainless welds with no need for passivation





TITANIUM 230 AC/ DC FV WM-061996

Intelligent and connected, it offers extremely precise arc control and industrial welding performance up to 230 A





NEW SPECIALISED EQUIPMENT

GYS Stud Capatek 66 FV

WM-081000

The CAPATEK 66 EV is an industrial shrinkage capacitive discharge generator capable of welding diameter studs M3 to M8 in copper-plated steel, stainless steel, aluminium and brass on thin sheets without marks or deformation. Its ergonomic gun and revolutionary with adjustable shrinkage and effort, ensures an ultra-fast welding rate. Its "FV" technology allows it to be used on all single-phase networks (85 to 265 V).



PRICE AVAILABLE UNTIL 31 AUGUST 2025

GYS Powerduction 37LG

The POWERDUCTION 37LG provides instant and powerful heating to release, or simply heat, steel or aluminium. Light and portable, this device can also heat metallic parts continuously for several minutes without interruption thanks to its water-cooling system.



PRICE AVAILABLE UNTIL 31 AUGUST 2025





CLEARANCE DEALS

SUMIG VACUUM CKAGE

RRP \$7000.00

PACKAGE PRICE

PRICE AVAILABLE UNTIL 31 AUGUST 2025

The XM Torch 2M industrial vacuum cleaner is the ideal solution for extracting fumes directly from the welding torch.

This vacuum cleaner is equipped with one / two powerful By-Pass motors that guarantee up to 190 m3 / h of airflow each.

The industrial vacuum is controlled directly by the welding machine. A sophisticated sensor positioned on the vacuum allows detecting when there is a flow of current in the ground cable located in the special clip.

The XM Torch 2M industrial vacuum cleaner is equipped with a cellulose filter that allows you to filter welding fumes in total safety.

PACKAGE INCLUDES:

- SUMIG Vacuum XM SUMIG535 TITAN-S 400 Gasless Gun 400amp 15ft
- Liner
- Contact Tip





300 KG Welding **Positioner**

WM-BY-300

Welding positioners are designed for the welder's comfort. They help to reduce fatigue as the welder can stand in one position.



RRP \$3450.00 PRICE AVAILABLE UNTIL 31 AUGUST 2025

SAVE \$1035

\$2550



Gamma GTH3 SFA + PFU 210E

Step up to Gamma GTH3 and work with confidence. Its TH3-class filtration removes 99.8 % of welding fumes and particulates while True Color optics keep the arc crystalclear. Pick the setup that suits your shop: lightweight fast-charge battery unit for total mobility, or a regulated supplied-air connection for unlimited, cooled airflow



GYS 211-4 MultiPearl 4 XL 200amp MIG

WM-065116

4 in 1, the MULTIPEARL 211-4. is a multi-process power source capable of performing MIG/ MAG (with or without gas), TIG DC and MMA welding with high precision It features 9 welding synergies to enable welding in all positions.

SAVE RRP \$2,895.00 \$869

6.00

PRICE AVAILABLE UNTIL 31 AUGUST 2025



GYS 210-4CL MultiPearl 4XL 200amp MIG

PRICE AVAILABLE UNTIL 31 AUGUST 2025

The MUITIPEARI 200-4 XL is a single phase multi-process welder. It is capable of MIG/MAG, Gas & No Gas, MMA and TIG welding.



GYS ARC 400TRI

WM-013551

THREE-PHASE INVERTER MMA. TIG Lift and Gouging WELDER

is a three-phase MMA / TIG generator with exceptional welding performance.



PRICE AVAILABLE UNTIL 31 AUGUST 2025

GYS Pro220E 220 amp MMA

WM-014657

Dedicated for professionals with huge standards, the PROGYS 220E FV CEL offers a wide choice of cellulosic, rutile and basic electrodes.



RRP \$1950.00



\$585

PRICE AVAILABLE UNTIL 31 AUGUST 2025

PACKAGE DEALS

PPE SAFETY PACKAGE

RRP \$402.95

PACKAGE PRICE \$299.00

PRICE AVAILABLE UNTIL 31 AUGUST 2025





PACKAGE

RRP \$18,240

PACKAGE PRICE

\$14,229.00 (GST EXC.)

PRICE AVAILABLE UNTIL 31 AUGUST 2025



Intecut 3 Dry Cutting Table

GYS Plasma Cutter 45amp single phase WM-014787 RRP \$3,550.00

UPM-105 Machine Torch 12M P-037533 RRP \$1,150.00

GYS Plasma CNC Kit

P-039988 RRP \$595.00



Wondercut CNC Cutting System

CS-WC153

Hypertherm PMX125 3 PH with 7.2mtr Torch

Contact us to find out more or custom build your required solution.

Was \$47,495 (GST EXCL.)
PACKAGE PRICE

\$39,995.00 (IST EXAL)

PRICE AVAILABLE UNTIL 31 AUGUST 2029

PACKAGE AVAILABLE ONLY



